

Reference Materials and Standards Catalog



LECO
EMPOWERING RESULTS

Table of Contents

Categorized Listing

Released December 5, 2022

Reference Materials and Standards

Introduction	3
Metallic and Oxide Chips and Powders	4
Nonferrous Pins	5
Steel Pins, Rings, and Pellets	6
Synthetic Carbon and Sulfur Standards	7
Moisture Standards and TGA/TGM Check Samples	7
Benzoic Acid Standards	7
Pure Chemical Standards	8
Ore and Soil Standards	9
Natural Matrix Standards	10
Coal, Coke, and Fly Ash Reference Materials	10
QAR Certified Coal Reference Materials	11
Oil and Fuel Calibration Material	11
Ash Fusion Metal Wire Standards	11

Reference Materials and Standards

This catalog contains Reference Materials that are In Stock or have Limited Stock on hand. Limited Stock means that at the time of release, there are less than 10 units available to order.

Be advised, availability is based on the date the catalog is released. Please contact your local LECO sales office to confirm availability and precise inventory levels as product status can quickly change.

New/Featured Items

Items listed below are new or may have recently been returned to stock.

Part No.	Description	Lot No.	Sulfur %	Carbon %	Oxygen %	Hydrogen %	Nitrogen	Ash %
502-924	Nickel Chip (100 g)	1000	0.00035	0.0039				
502-913	Steel Pin (1 g x 100 per bottle)	0720-2	0.0055	0.067	0.0065	{3.9} ppm	0.0564	
503-524	Steel Pin (0.5 g x 100 per bottle)	798	0.0023	0.0186	{0.0055}		0.0262	
503-543	Steel Pin (1 g x 100 per bottle)	1044	0.0005	0.0007	{0.0014}	{1.4} ppm	0.0005	
502-696	Synthetic Carbon ~1% (50 g)	1005		1.01				
502-905	Synthetic Carbon ~5% (50 g)	1003		5				
502-602	Ammonium Std Solution (5 x 10 mL)	6705933					0.1002	
502-602	Ammonium Std Solution (5 x 10 mL)	6711281					0.1001	
502-693	Ore (25 g)	1002	1.94	3.41				
502-697	Soil (65 g)	1003	0.037	3.05			0.251	
502-962	Soil (65 g)	1001	0.016	1.006			0.108	
502-931	Orchard Leaves (20 g)	1001	0.118	48.62		6.18%	1.37	
503-530	Urea Powder (25 g)	1000					46.7	
502-670	LECO ~0.5% S Coal (50 g)	22182	0.54					8.46
502-671	LECO ~1% S Coal (50 g)	20276	1.13					10.05
502-846	QAR CRM Coal 11 (50 g)	13156	0.703	{81.94}		2.39%	1.05	12.19

Glossary of Terms

Values in brackets {xx} are not certified and are included for information only.

LCRM - LECO Certified Reference Material
 LSUS - LECO Set-Up Standard
 NMI - National Metrology Institute
 PUR - Unspecified Certified Material

LRM - LECO Reference Material
 NACM - Non-Accredited Calibration Materials
 PCD - Pure Compound

Metallic and Oxide Chips and Powders

Part No	Lot No	Description	Class	% S	% C	% O	H	% N	ISO Ref
502-899	1035	Cast Iron Powder (100 g)	LCRM	0.037	3.27				17034
502-919	1005	Cast Iron Powder (150 g)	LCRM	0.115	3.78				17034
502-919	1006	Cast Iron Powder (150 g)	LCRM	0.114	3.78				17034
502-920	1004	Cast Iron Powder (150 g)	LCRM	0.018	4.77				17034
502-399	JK47A	DRI Powder (35 g)	NMI		0.37	0.69		0.0062	
502-927	1005	Iron III Oxide Powder (10 g)	LCRM			30.1			17034
502-702	1000	Iron Powder (100 g)	LCRM	0.01	0.342	1.1	{6} ppm	0.0079	Guide 34
502-970	1001	Iron Powder (100 g)	LCRM	0.0038	0.006				17034
502-698	1008	Iron Powder (150 g)	LCRM	0.013	2.16				Guide 34
502-924	1000	Nickel Chip (100 g)	LCRM	0.00035	0.0039				17034
502-139	1009	Silicon Dioxide Powder (10 g)	NACM			53.2			Guide 34
501-718	079-2	Steel Chip (100 g)	PUR	0.192	0.596			0.0074	
502-999	1000	Steel Chip (100 g)	LCRM	0.0012	0.0021			0.0005	17034
502-974	268-1	Steel Chip ECRM 268-1 (100 g)	PUR	0.0154	1.134			2.03	
502-961	379-1	Steel Chip ECRM 379-1 (100 g)	NMI	0.0006	0.0121			0.055	
502-706-HAZ	1000	Titanium Powder (25 g)	LCRM				279 ppm		Guide 34
502-707-HAZ	1000	Titanium Powder (25 g)	LCRM				276 ppm		Guide 34
502-708-HAZ	1000	Titanium Powder (25 g)	LCRM				259 ppm		Guide 34
502-141	1031	Tungsten Oxide Powder (10 g)	LRM			20.7			Guide 34
501-801	489-1	White Cast Iron (100 g)	NMI	0.155	2.86			0.0056	
502-908	1001	Zirconium Dioxide Powder (10 g)	LCRM			25.9			17034

Nonferrous Pins

Part No	Lot No	Description	Class	% S	% C	% O	H	% N	ISO Ref
502-937	752	Copper Pin (1 g x 100 per bottle)	LCRM	0.00116					Guide 34
502-937	753	Copper Pin (1 g x 100 per bottle)	LCRM	0.00115					Guide 34
502-937	754	Copper Pin (1 g x 100 per bottle)	LCRM	0.00115					Guide 34
502-945	806	Copper Pin (1 g x 100 per bottle)	LCRM			0.0324			17034
503-516	801	Copper Pin (1 g x 100 per bottle)	LCRM			0.0265			17034
503-526	807	Copper Pin(1 g x 100 per bottle)	LCRM			0.0201			17034
503-532	809	Copper Pin (1 g x 100 per bottle)	LCRM			0.0457			17034
502-411	699	Nickel Pin (1 g x 100 per bottle)	NACM			0.00024			17025
502-947	740	Titanium Pin (0.12 g x 200 per bottle)	LCRM		0.022	0.144	14 ppm	0.013	Guide 34
503-507	797	Titanium Pin (0.12 g x 200 per bottle)	LCRM		0.005	0.162	79 ppm	0.013	17034
503-518	802	Titanium Pin (0.12 g x 200 per bottle)	LCRM		0.012	0.118	176 ppm	0.016	17034
503-519	803	Titanium Pin (0.12 g x 200 per bottle)	LCRM			0.288	20 ppm	{0.003}	17034
503-522	804	Titanium Pin (0.12 g x 200 per bottle)	LCRM			0.288	{16} ppm	0.005	17034
503-522	0804-1	Titanium Pin (0.12 g x 200 per bottle)	LCRM			0.295	15 ppm	0.0052	17034
503-538	0802-1	Titanium Pin (0.12 g x 200 per bottle)	LCRM		0.011	0.118		0.016	17034
502-969	606	Titanium Pin (0.25 g x 100 per bottle)	LCRM		0.012				Guide 34
503-511	800	Titanium Pin (0.12 g x 200 per bottle)	LCRM		0.049	0.365	35 ppm	0.005	17034
502-890	747	Zirconium Pin (0.12 g x 200 per bottle)	LCRM		0.0145	0.141	9.1 ppm	0.002	Guide 34

Steel Pins, Rings, and Pellets

Part No	Lot No	Description	Class	% S	% C	% O	H	% N	ISO Ref
503-521	805	Titanium Pin (0.12 g x 200 per bottle)	LCRM			0.349	17 ppm	0.0022	17034
502-060	810	Steel Pin (5 g x 25 per bottle)	LCRM				6.23 ppm		17034
502-198	673	Steel Pin (1 g x 100 per bottle)	LRM			0.0038			Guide 34
502-257	659	Steel Pin (1 g x 100 per bottle)	LRM			0.0032		0.066	Guide 34
502-257	717	Steel Pin (1 g x 100 per bottle)	LRM			0.0035		0.0785	Guide 34
502-863	1002	Steel Pellet (1 g x 100 per bottle)	LCRM	0.0067	0.0383	{0.0013}	{0.5} ppm	0.0042	17034
502-863	1003	Steel Pellet (1 g x 100 per bottle)	LCRM	0.0132	0.042	{0.0009}		0.005	17034
502-893	772	Steel Pin (1 g x 100 per bottle)	LCRM	0.0044	0.796	0.0013	{1.0} ppm	0.0048	17034
502-893	0772-1	Steel Pin (1 g x 100 per bottle)	LCRM	0.0045	0.794	0.0013		0.0048	17034
502-894	620	Steel Pin (1 g x 100 per bottle)	LCRM	0.0128	0.683				17034
502-903	0720-1	Steel Pin (1 g x 100 per bottle)	LCRM			0.0065	3.6 ppm	0.0565	Guide 34
502-904	566	Steel Pin (0.5 g x 100 per bottle)	LCRM	0.0179	0.056	0.0039	{1.5} ppm	0.0923	Guide 34
502-913	720	Steel Pin (1 g x 100 per bottle)	LCRM	0.0049	0.066	0.0066	3.5 ppm	0.0557	Guide 34
502-913	0720-2	Steel Pin (1 g x 100 per bottle)	LCRM	0.0055	0.067	0.0065	{3.9} ppm	0.0564	17034
502-918	1427-5-R	Steel Ring (1 g x 200 per bottle)	LCRM	0.0269	0.012				Guide 34
502-928	635	Steel Pin (1 g x 100 per bottle)	LCRM	0.0192	0.0192	0.0034	2.2 ppm	0.0737	Guide 34
502-929	1421	Steel Ring (1 g x 200 per bottle)	LCRM	0.0004	0.067				Guide 34
502-935	0719-1	Steel Pin (1 g x 100 per bottle)	LCRM	0.001	0.064	0.0027	{2.2} ppm	0.0707	17034
502-936	763	Steel Pin (0.5 g x 100 per bottle)	LCRM					1	Guide 34
502-963	737	Steel Pin (1 g x 100 per bottle)	LCRM	0.0084	0.0246	0.0051	6.7 ppm	0.049	17034
502-978	793	Steel Pin (0.5 g x 100 per bottle)	LCRM	0.0026	0.0323	{0.0086}	{7.8} ppm	0.349	17034
502-986	775	Steel Pin (1 g x 100 per bottle)	LCRM	0.292	0.398				17034
502-989	780	Steel Ring (1 g x 200 per bottle)	LCRM	0.0049	0.774				17034
502-991	732	Steel Pin (1 g x 100 per bottle)	LCRM	0.0031	0.072			0.0737	17034
502-992	734	Steel Pin (1 g x 100 per bottle)	LCRM	0.0009	0.073	0.0019		0.0771	17034
502-997	731	Steel Pin (1 g x 100 per bottle)	LCRM	0.0296		0.0058		0.0578	17034
503-501	794	Steel Pin (1 g x 100 per bottle)	LCRM	0.023	0.061	0.0058		0.0111	17034
503-505	799	Steel Pin (1 g x 100 per bottle)	LCRM	0.0045	0.0172				17034
503-508	798	Steel Pin (1 g x 100 per bottle)	LCRM	0.0024	0.0183	0.005		0.0265	17034
503-514	742	Steel Pin (1 g x 100 per bottle)	LCRM	0.0021	0.051	0.0024		0.0599	17034
503-520	766	Steel Pin (1 g x 100 per bottle)	LCRM					0.0164	17034
503-524	798	Steel Pin (0.5 g x 100 per bottle)	LCRM	0.0023	0.0186	{0.0055}		0.0262	17034
503-543	1044	Steel Pin (1 g x 100 per bottle)	LCRM	0.0005	0.0007	{0.0014}	{1.4} ppm	0.0005	17034

Synthetic Carbon and Sulfur Standards

Part No	Lot No	Description	Class	% S	% C	ISO Ref
502-696	1004	Synthetic Carbon ~1% (50 g)	LCRM		0.97	17034
502-696	1005	Synthetic Carbon ~1% (50 g)	LCRM		1.01	17034
502-905	1002	Synthetic Carbon ~5% (50 g)	LCRM		5	17034
502-905	1003	Synthetic Carbon ~5% (50 g)	LCRM		5	17034
502-934	1001	Synthetic Carbon ~0.5% (50 g)	LCRM		0.54	17034
502-950	1002	Synthetic Carbon ~0.1% (50 g)	LCRM		0.12	17034
502-914	1003	Synthetic Carbon & Sulfur ~1% (50 g)	LCRM	0.97	0.99	17034
502-914	1004	Synthetic Carbon & Sulfur ~1% (50 g)	LCRM	0.97	0.99	17034
502-964	1000	Synthetic Carbon & Sulfur ~0.1% (50 g)	LCRM	0.1	0.11	17034

Moisture Standards and TGA/TGM Check Samples

Part No	Lot No	Description	Class	ISO Ref	% Weight Loss at 150oC	% Weight Loss at 200oC	% Weight Loss at 450oC	% Weight Loss at 850oC
502-926	1003	Calcium Oxalate (50 g)	LCRM	17034	—	12.2	—	—
502-926	1003	Calcium Oxalate (50 g)	LCRM	17034	—	—	19.7	—
502-926	1003	Calcium Oxalate (50 g)	LCRM	17034	—	—	—	29.5
502-968	1000	Sodium Tartrate Dihydrate (50 g)	LCRM	17034	15.6	—	—	—

Benzoic Acid Standards

Part No	Lot No	Description	Class	% C	% O	H	Btu/lb	ISO Ref
502-892	1002	Benzoic Acid Tablets (1 g x 70 per bottle)	LCRM				11371	17034
621-606-245	1032	Benzoic Acid Tablets (0.6 g x 50 per bottle)	NACM				11371	
502-184	1004	Benzoic Acid Powder (10 g)	PCD	68.85	26.2	4.95%		

Pure Chemical Standards

Part No	Lot No	Description	Class	% S	% C	H	% N	ISO Ref
502-695	1001	Acetanilide (10 g)	LCRM		71.03	6.75%	10.33	17034
502-601	6686750	Ammonium Std Solution (5 x 10 mL)	PUR				0.01	
502-602	6705933	Ammonium Std Solution (5 x 10 mL)	PUR				0.1002	
502-602	6711281	Ammonium Std Solution (5 x 10 mL)	PUR				0.1001	
502-897	1003	BBOT (25 g)	LCRM	7.46	72.56	6.14%	6.5	17034
502-690	1000	Caffeine (25 g)	PCD		49.48	5.19%	28.85	
502-691	1001	Cystine (25 g)	LCRM	26.71	29.98	5.02%	11.64	17034
502-902	1003	Calcium Carbonate (50 g)	LCRM		12.03			17034
502-896-250	1006	EDTA (250 g)	LCRM		41.11	5.50%	9.58	17034
502-896-250	1007	EDTA (250 g)	LCRM		41.14	5.53%	9.59	17034
502-896	1007	EDTA (50 g)	LCRM		41.14	5.53%	9.59	17034
502-911	1002	Glycine (50 g)	LCRM		32	6.67%	18.69	17034
502-688	1003	Nicotinic Acid (25 g)	LCRM		58.57	4.12%	11.4	17034
502-688	1004	Nicotinic Acid (25 g)	LCRM		58.53	4.11%	11.37	17034
502-642	1019	Phenylalanine (50 g)	LCRM		65.47	6.74%	8.46	17034
501-441	1034	Sucrose (50 g)	PCD		42.1	6.48%		
501-441	1035	Sucrose (50 g)	PCD		42.1	6.48%		
502-657	1001	Sulfamethazine (25 g)	LCRM	11.6	51.65	5.10%	20.11	17034
502-634	1000	UHP Graphite Powder (50 g)	NACM		100			
502-699	1001	Zinc Sulfide (50 g)	LCRM	32.7				Guide 34
502-699	1002	Zinc Sulfide (50 g)	LCRM	33				17034

Ore and Soil Standards

Part No	Lot No	Description	Class	% S	% C	% N	ISO Ref
502-635	1000	High Sulfur Ore Concentrate (25 g)	NACM	45	0.55		
502-635	1001	High Sulfur Ore Concentrate (25 g)	NACM	45.2	0.56		17034
502-693	1002	Ore (25 g)	LCRM	1.94	3.41		17034
502-909	1002	Ore (25 g)	LCRM	0.67	0.18		17034
502-933	1000	Ore (25 g)	LCRM	0.74	2.16		Guide 34
503-502	1000	Ore (25 g)	LCRM	4.2	3.45		17034
503-503	1000	Ore (25 g)	LCRM	0.86	0.11		17034
503-506	1000	Ore (25 g)	LCRM	0.42	2.07		17034
503-509	1000	Ore (25 g)	LCRM	0.07	6.83		17034
502-694	1003	Soil (65 g)	LCRM	0.201	13.61	1.14	17034
502-697	1002	Soil (65 g)	LCRM	0.039	3.06	0.262	17034
502-697	1003	Soil (65 g)	LCRM	0.037	3.05	0.251	17034
502-962	1000	Soil (65 g)	LCRM	0.019	0.717	0.101	17034
502-982	1000	Soil (65 g)	LCRM	0.321	22.7	1.95	17034
502-962	1001	Soil (65 g)	LCRM	0.016	1.006	0.108	17034

Natural Matrix Standards

Part No	Lot No	Description	Class	% S	% C	H	% N	ISO Ref
502-983	1000	Alfalfa (50 g)	LCRM	0.38	44.1		3.09	17034
502-906	1001	Barley Flour (50 g)	LCRM				1.98	17034
502-906	1002	Barley Flour (50 g)	LCRM				1.82	17034
502-713	1001	Corn Flour (50 g)	LCRM				1.21	17034
502-932	1001	Corn Gluten (50 g)	LCRM	0.97	51.87	7.06%	11.01	17034
502-931	1000	Orchard Leaves (20 g)	LCRM	0.442	49.54	6.24%	2.31	Guide 34
502-931	1001	Orchard Leaves (20 g)	LCRM	0.118	48.62	6.18%	1.37	17034
502-907	1002	Rice Flour (50 g)	LCRM				1.35	17034
502-984	1000	Tobacco Leaves (20 g)	LCRM	0.52	48.33		3.29	17034
503-530	1000	Urea Powder (25 g)	LCRM				46.7	17034
502-692	1002	Wheat Flour (50 g)	LCRM	0.194	45.24	6.51%	2.88	17034
502-692	1003	Wheat Flour (50 g)	LCRM	0.201	45.44	6.50%	3.08	17034

Coal, Coke, and Fly Ash Reference Materials

Part No	Lot No	Description	Class	% S	% C	H	% N	% Ash	% Fixed C	% Vol Matter	ppm Hg	Btu/lb	ISO Ref
502-843	1000	Fly Ash (20 g)	NACM	0.29	42.4						0.827		
502-987	1001-1	Fly Ash (20 g)	LCRM	1.28	0.81								17034
502-675	20219	LECO ~0.25% S Coal (50 g)	LCRM	0.223				4.89					17034
502-670	19171	LECO ~0.5% S Coal (50 g)	LCRM	0.53				8.27					17034
502-670	22182	LECO ~0.5% S Coal (50 g)	LCRM	0.54				8.46					17034
502-671	20275	LECO ~1% S Coal (50 g)	LCRM	1.14				10.02					17034
502-672	19344	LECO ~2% S Coal (50 g)	LCRM	1.93				7.17					17034
502-673	20041	LECO ~3% S Coal (50 g)	LCRM	3.25				8.05					17034
502-674	18191	LECO ~4% S Coal (50 g)	LCRM	4.89				8.8					Guide 34
502-680	21258	LECO PROX PLUS LOW COAL (50 g)	LCRM	0.401	82	4.21%	1.18	8.29	{72.9}	18.9		{14197}	17034
502-681	21285	LECO PROX PLUS MED. COAL (50 g)	LCRM	1.31	77	4.95%	1.44	9.16	{57.8}	33.1		{13754}	17034
502-682	22010	LECO PROX PLUS HIGH COAL (50 g)	LCRM	3.61	70.9	4.87%	1.55	8.95	{51.9}	39.3		{12728}	17034
502-683	20323	LECO PROX PLUS METALLURGICAL COKE (50 g)	LCRM	0.758	88	{0.10} %	0.94	9.91	{89.0}	1.1		{12350}	17034
502-684	21036	LECO PROX PLUS PETROLEUM COKE (50 g)	LCRM	4.79	88.5	3.88%	1.42	0.27	{85.4}	14.4		{15364}	17034
502-649	2781	NIST 2781 MERCURY IN DRY SLUDGE (40 g)	NMI				4.78				3.68		

QAR Certified Coal Reference Materials

Part No	Lot No	Description	% S	% C	H	% N	% Ash	% Vol Matter	ppm Hg	Btu/lb	ISO Ref
502-831	16335	QAR CRM Coal 1 (50 g)	1.45	{73.40}	{4.68} %	1.7	6.77	{34.31}	0.118	{12769}	Guide 34
502-833	14255	QAR CRM Coal 3 (50 g)	0.383	{82.03}	{4.19} %	1.16	8.96	{18.20}	0.06	{14175}	Guide 34
502-834	19353	QAR CRM Coal 4 (50 g)	0.299	{67.05}	{4.13} %	0.97	12.5	{34.97}	0.034	{11349}	Guide 34
502-835	21071	QAR CRM Coal 5 (50 g)	0.454	{68.62}	{4.73} %	1.74	11.02	{38.12}	0.018	{12016}	17034
502-836	20167	QAR CRM Coal 6 (50 g)	3.97	{68.09}	{4.75} %	1.26	12.37	{39.78}	0.09	{12214}	17034
502-837	20344	QAR CRM Coal 7 (50 g)	3.23	{70.38}	{4.81} %	1.38	8.87	{38.77}	0.0579	{12570}	17034
502-838	12185	QAR CRM Coal 8 (50 g)	0.963	{80.26}	5.17%	1.6	6.5	{33.78}	0.067	{14337}	
502-839	21356	QAR CRM Coal 9 (50 g)	1.92	{77.00}	{5.10} %	1.57	7.09	{36.81}	0.119	{13773}	17034
502-845	13158	QAR CRM Coal 10 (50 g)	0.665	{87.33}	1.76%	0.878	8.02	{3.83}	0.169	{13573}	
502-846	13156	QAR CRM Coal 11 (50 g)	0.703	{81.94}	2.39%	1.05	12.19	{5.81}	0.112	{13197}	

Oil and Fuel Calibration Material

Part No	Lot No	Description	Class	% S	% C	H	% N	Btu/lb	ISO Ref
502-901	1002	Paraffin Oil (118 mL)	LCRM		86.4	14.00%		19830	17034
502-848	1002	Residual Fuel Oil Sulfur ~0.25% (100 mL)	LSUS	0.263					17034
502-849	1002	Residual Fuel Oil Sulfur ~1% (100 mL)	LRM	0.99					17034
502-850	1003	Residual Fuel Oil Sulfur ~3.0% (100 mL)	LSUS	3.1	83.86	13.11%	0.07	19220	
502-851	1001A	White Mineral Oil Sulfur ~ 0.01% (100 mL)	LRM	0.01					17025
502-852	1001A	White Mineral Oil Sulfur ~0.1% (100 mL)	LRM	0.093					17034
502-854	1001A	White Mineral Oil Sulfur ~5% (100mL)	LRM	5.03					

Ash Fusion Metal Wire Standards

Part No	Lot No	Description	Class	Melt Point	ISO Ref
502-496	1029	Gold Wire (2 pcs)	LRM	1062 C	17034

